



Analyzing Gojek service quality and customer satisfaction using Servqual-Canoe Model-QFD integration

Dyah Lintang Trenggonowati, Maria Ulfah, Aurora Elvaretta Sukamto

Automotive Engineering Technology, Politeknik STMI Jakarta, Jl. Letjend Soeprapto No 26, Cempaka Putih 10510, Jakarta Pusat, Indonesia

ARTICLE INFO

Article history:

Received 1 September 2023

Received in revised form 9 October 2023

Accepted 25 October 2023

Published online 5 December 2023

Keywords:

Gojek

Canoe model

Servqual

Quality Function Deployment (QFD)

Editor:

Anik Habyba

Publisher's note:

The publisher remains neutral concerning jurisdictional claims in published maps and institutional affiliations.

ABSTRACT

The problem at the Untirta Faculty of Engineering concerning Go-ride services is a decrease in Go-ride users from 2020 to 2022. This decline is due to users' complaints about unsatisfactory Go-ride services, such as drivers being unfriendly and impolite, among other issues. Based on the challenges faced by Gojek, a study was conducted on service quality using the Servqual, Canoe, and Quality Function Development (QFD) methods. This study aims to identify attributes that fail to meet customer expectations, determine priority attributes for improvement, and prioritize improvement efforts that the company can undertake to enhance the quality of Go-ride services. Questionnaires were distributed to 97 respondents. The research findings revealed 8 attributes with a negative gap. The priority attribute requiring improvement is drivers consistently being friendly and polite to customers, with an adjusted importance value of 5.46. Furthermore, the suggested improvement that the company can pursue is to reward drivers who consistently adhere to the standard operating procedures (SOP), with a relative weight percent value of 51.03%. In conclusion, there are 8 customer needs that still do not meet expectations, with the priority being drivers' consistent friendliness and politeness. The suggested priority improvement for the company involves rewarding drivers who consistently adhere to SOP.

1. Introduction

Transportation is an essential means of supporting human activities in carrying out daily routines. Society relies heavily on transportation because it can shorten travel time. The use of motor vehicles in Cilegon City has the highest number compared to other types of vehicles such as cars, buses, and trucks. According to data obtained from BPS Cilegon City, the number of motor vehicles in 2022 was 172.058, cars were 37.667, buses were 606, and trucks were 10.411 [1]. The use of motor vehicles by the community is not only for individual needs but is also utilized as a business opportunity in the transportation service, such as motorcycle taxi services (ojek). The development of motorcycle taxi services has expanded beyond conventional means, incorporating technological advancements to offer online services. One of the prominent companies in the online transportation service industry is Gojek. Gojek was the pioneer of the online transportation business, founded in Indonesia in 2010, followed by other companies such as Grab, Uber, Maxim, Indriver, and others.

The existence of online transportation services today has led to a significant dependence on them among the public, as users can easily book rides through mobile applications, thereby reducing travel time. The intense competition among online transportation companies has driven each of them to enhance the quality of their services to ensure customer satisfaction and foster loyalty among consumers [2]. The presence of online motorcycle taxis is an alternative for the community, including students, to travel. Students are one of the main user segments of online motorcycle taxis. The presence of online ojek has a significant impact on student life by speeding up and simplifying the transportation process and daily needs. Students can easily order ojek to go to campus or travel to other places.

FT Untirta is one of the state universities located in Cilegon City. FT Untirta students are mostly users of online motorcycle taxi services. Based on the survey results with FT Untirta students regarding the use of online motorcycle taxi services that have been carried out, the results can be seen in Fig. 1 that illustrates a noticeable 32% decline in Gojek users from 2020 to 2022.

*Corresponding author:

Email: dyahlintang@untirta.ac.id

<http://dx.doi.org/10.36055/jiss.v9i2.21857>






Figure 1. Graph of Gojek users at FT Untirta

Subsequent field observations identified several customer complaints that contributed to this decline, pointing towards dissatisfaction with the services and facilities provided by Gojek. The preliminary survey revealed various customer grievances, notably dissatisfaction with specific service aspects: (1) drivers' lack of familiarity with road routes accounted for 27.7% of complaints, (2) unfriendly behavior from drivers constituted 19.3% of the complaints, (3) lack of responsiveness from drivers to orders accounted for 18.1%, (4) incomplete attributes worn by Gojek drivers contributed to 15.7% of the complaints, (5) other miscellaneous issues were reported at 19.2%. These customer insights highlight the existing service gaps within Gojek. To achieve customer satisfaction, concerted efforts are necessary to enhance the quality of Gojek services.

This research aims to address the challenges faced by Gojek by identifying priority attributes that require improvement and proposing corresponding enhancement efforts. The study integrates the Servqual, Canoe model, and QFD methodologies. The research begins with Servqual mapping, which assesses the disparity between consumer expectations and perceptions of services [3]. Servqual categorizes service attributes into five dimensions—responsiveness, assurance, tangibles, empathy, and reliability—according to Parasuraman [4]. Using a structured questionnaire, this method measures the gap between customer expectations and actual service delivery. Attributes are then prioritized for improvement using the Canoe model.

The integration of Servqual and the Canoe model identifies key attributes requiring enhancement. The QFD methodology translates consumer preferences into a House of Quality (HoQ) matrix, evaluating service improvements and providing a blueprint for action [5]. The outcome of this research is a proposal outlining improvement initiatives that Gojek can implement to elevate service quality. These chosen methodologies offer clear tools to evaluate service quality as perceived by consumers and to align services with their expectations. Their integration can significantly contribute to enhancing service quality within the Gojek company.

2. Material and method

This research was conducted within Gojek, focusing on a case study at the Faculty of Engineering, Untirta, involving student respondents who were regular users

of Go-Ride services, with a minimum requirement of two service usages.

The study employs an integration approach using Servqual, Canoe, and QFD methodologies. It commences with Servqual to assess the disparity between consumer expectations and perceptions of services. Subsequently, Servqual attributes are classified to gauge their efficacy in meeting consumer needs, identifying the priority attributes for enhancement. The Canoe model is then applied by Gojek to improve these identified attributes. The integration of Servqual and the Canoe model generates a list of priority attributes for enhancement. Finally, QFD is utilized to translate consumer preferences into a House of Quality (HoQ) matrix, providing an evaluative framework for service improvements [6].

The data processing stages in this study are outlined as follows [7].

1. Data Collection. This involves gathering information on the number of active students from the 2019-2022 batch at FT SAT University.
2. Population Determination. The study's population comprises active students at FT SAT University. The sample selection utilizes the Slovin formula, focusing on students who have used Go-Ride services at least twice.
3. Questionnaire Preparation. Development of Servqual and Canoe questionnaires consisting of 15 attribute-related statements.
4. Questionnaire Distribution. Dispersion of Servqual and Canoe questionnaires among the selected sample.
5. Data Validation. Statistical tests for validity and reliability are conducted on the collected data using Microsoft Excel and SPSS to confirm its accuracy and consistency.
6. Servqual Gap Calculation. Calculation of the Servqual gap involves averaging the expectation and perception scores obtained from the Servqual questionnaire. The gap is computed using Eq. (1).

$$Q = P(\text{Perception score}) - E(\text{Expectation score}) \quad (1)$$

A negative gap value implies that the service quality falls short of customer expectations, while a positive gap value indicates that customer expectations are met.

7. Canoe Questionnaire Processing. Each attribute is categorized using the Canoe evaluation table.

Table 1.
Canoe evaluation table

Customer Requirement		Dysfunctional				
		1	2	3	4	5
Functional	1	Q	A	A	A	O
	2	R	I	I	I	M
	3	R	I	I	I	M
	4	R	I	I	I	M
	5	R	R	R	R	Q

Description: Q = Questionable, A = Attractive, R = Reverse, O = One Dimensional. I = Indifferent, M = Must Be

The questionnaire that obtained respondents' answers from each question that had been asked, then determined the number of Canoe categories using Blauth's formula as follows [6].

1. If $(O+A+M) > (I+R+Q)$, then grade from the maximum of (O, A, M).
2. If $(O+A+M) < (I+R+Q)$, then grade from the maximum of (I, R, Q).
3. If $(O+A+M) = (I+R+Q)$, then the grade is the maximum of all categories.

Then create a Canoe quadrant by calculating the satisfaction and dissatisfaction of each attribute using Eq. (2) and (3).

$$\text{Extent of Satisfaction} = \frac{A+O}{A+O+M+I} \quad (2)$$

$$\text{Extent of Dissatisfaction} = - \frac{O+M}{A+O+M+I} \quad (3)$$

8. The next stage is to calculate the integration of Servqual and Canoe. Starting with setting the Canoe weight on each attribute used for consideration in adjusting to the Canoe weight value ($A = 4, O = 2, M = 1$ and $I, R, Q = 0$). Then calculate the adjusted importance ratio value and adjusted importance with Eqs. (4) and (5). The next stage determines the priority of the improved attributes. If the attribute has a weakness grade and Canoe must-be, one-dimensional and attractive categories, then the attribute will be improved, while if the attribute has a strong grade and Canoe indifferent category, then the attribute will be maintained.
9. Creation of House of Quality (HoQ).

The steps in preparing HoQ are as follows :

- a. Determination of the "Whats" matrix
Compilation of voice of customers containing customer needs obtained from the integration of Servqual and Canoe which fall into the category to be improved.
- b. Determination of the "Hows" matrix
Determination of the technical requirements of the priority attributes that want to improve their quality. These technical requirements are obtained from the results of brainstorming with the company.
- c. Determination of technical correlation
Determination of the relationship between technical requirements is done by seeing whether the technical requirements with each other have a strong, moderate, or weak relationship and this relationship have is expressed by symbols.
- d. Determination of relationship
Determination of the relationship between attributes and technical responses, whether the relationship is strong, moderate, or weak, this relationship is expressed by symbols.
- e. Calculation of planning matrix
The next stage is carried out to calculate the importance ratio value, absolute weight value and absolute weight percent value using Eqs. (6), (7), and (8).
- f. Calculation of technical matrix

The next stage is to calculate the relative weight value and relative weight percent value using Eqs. (9) and (10).

g. Determination of benchmarking

The next stage is determining benchmarking. Companies that compete with Gojek are Grab and Maxim.

$$\text{Improvement Ratio}_{\text{Adj}} = \left(\frac{\text{Level of expectation}}{\text{Level of perception}} \right)^{\frac{1}{\text{Canoe Weight}}} \quad (4)$$

$$\text{Adjusted Importance} = \text{Level of Importance} \times \text{Improve Ratio}_{\text{Adj}} \quad (5)$$

$$\text{IR} = \frac{\text{Target Value}}{\text{Customer Satisfaction Performance}} \quad (6)$$

$$\text{Absolute Weight} = \text{Importance to Customer} \times \text{IR} \times \text{SP} \quad (7)$$

$$\text{Absolute Weight Percent} = \frac{\text{Absolute Weight}}{\sum \text{Absolute Weight}} \times 100\% \quad (8)$$

$$\text{Relative Weight} = \frac{\sum (\text{Absolute Weight} \times \text{Numeric Value})}{\sum \text{Relative Weight}} \quad (9)$$

$$\text{Relative Weight Percent} = \frac{\text{Relative Weight}}{\sum \text{Relative Weight}} \quad (10)$$

3. Results and discussions

The data processing in this study involved sample calculation, Servqual gap calculation, creation of Canoe quadrants, and development of the House of Quality (HoQ) [8].

3.1. Sample determination

This study uses data collection techniques, namely purposive sampling. The criteria for respondents who filled out the questionnaire were FT Untirta students as Go-ride users who had used the service more than 2 times. The population of FT Untirta students is 3110 people. Then an error rate of 10% is used. To determine the required sample, use Slovin formula calculation resulting 97 respondents.

3.2. Preparing the questionnaire

The questionnaires used are Servqual and Canoe questionnaires. Table 2 presents 15 attributes that have been classified based on Servqual dimensions. The results of the Servqual questionnaire which contains the average perception data, expectations and interests of each attribute are presented in Table 3.

3.3. Validity test

Validity testing was carried out on the first 30 data. If $r_{\text{count}} > r_{\text{table}}$ then the data is declared valid [9]. In this study using a significance level of 5% and with $n = 30$, maka $r_{\text{table}} = 0,361$. The validity test results obtained are valid perception data, interest expectations, and functional data and dysfunctional data are valid because $r_{\text{count}} > r_{\text{table}}$.

Table 2.
Servqual customer requirement identification

No	Attribute Code	Service Attribute
Responsiveness Dimension		
1	Res ₁	Drivers are responsive to customer complaints
2	Res ₂	Drivers are responsive to customer orders and requests
3	Res ₃	The company provides rates that are appropriate to the distance and affordable
Assurance Dimension		
4	As ₁	Drivers prioritize gojek user safety
5	As ₂	Drivers are honest and trustworthy
Tangibility Dimension		
6	Tg ₁	Drivers use proper motorcycles
7	Tg ₂	Drivers look neat, clean and smell good
8	Tg ₃	Drivers use complete driving attributes
Emphaty Dimension		
9	Em ₁	Drivers are always friendly and polite to customers
10	Em ₂	Drivers offer facilities to customers (helmets, masks, raincoats)
11	Em ₃	Drivers care about customer requests.
Reliability Dimension		
12	Rel ₁	Drivers pick up and drop off customers on time.
13	Rel ₂	The driver delivers to the intended location through the best route.
14	Rel ₃	The driver drives the vehicle well.
15	Rel ₄	Drivers always obey traffic rules.

Table 3.
Results of Servqual questionnaire

Attribute Code	Level of Perception	Level of Expectation	Level of Importance
Res ₁	4,12	4,45	4,60
Res ₂	4,06	4,34	4,58
Res ₃	4,25	4,48	4,56
As ₁	4,56	4,37	4,47
As ₂	4,55	4,31	4,52
Tg ₁	4,03	4,37	4,62
Tg ₂	4,46	4,40	4,53
Tg ₃	4,11	4,45	4,65
Em ₁	4,00	4,56	4,79
Em ₂	3,70	4,06	4,66
Em ₃	4,24	4,21	4,26
Rel ₁	4,44	4,39	4,52
Rel ₂	4,27	4,43	4,54
Rel ₃	4,51	4,20	4,51
Rel ₄	4,53	4,15	4,44

Table 4.
Reliability test

No	Data	Cronbach Alpha Value	Reliability
1	Perception Data (Servqual)	0,952	Reliable
2	Expectation Data (Servqual)	0,971	Reliable
3	Importance Data (Servqual)	0,968	Reliable
4	Functional Data (Canoe)	0,930	Reliable
5	Disfungsional Data (Canoe)	0,964	Reliable

3.4. Reliability test

Reliability testing will produce a Cronbach alpha value, which is then compared with the Cronbach alpha reliability coefficient criteria for reliable instruments. The instrument is declared reliable if the reliability coefficient is at least 0.6 [10]. The results of the data reliability test can be seen in Table 4.

3.5. Calculation of gap Servqual

The calculation of the gap score is carried out to determine the gap between the value of customer

perceptions and the value of customer expectations. The gap score is obtained by subtracting the perception score from the expectation score [3]. The calculation of the gap score can be seen in Table 5.

Based on Table 5, the gap results of each attribute are obtained. A gap value that is negative is called a grade weakness, which is an attribute that has not met customer expectations. It is known that of the 15 attributes, there are 8 negative attributes which mean that what customers feel has not met customer expectations, so improvements must be made to the Go-ride service.

Table 5.
Calculation of gap Servqual

No	Attribute	Average Perception	Average Expectation	Gap	Grade
1	Res ₁	4,12	4,45	-0,33	Weak
2	Res ₂	4,06	4,34	-0,28	Weak
3	Res ₃	4,25	4,48	-0,24	Weak
4	As ₁	4,56	4,37	0,19	Strong
5	As ₂	4,55	4,31	0,24	Strong
6	Tg ₁	4,03	4,37	-0,34	Weak
7	Tg ₂	4,46	4,40	0,06	Strong
8	Tg ₃	4,11	4,45	-0,34	Weak
9	Em ₁	4,00	4,56	-0,56	Weak
10	Em ₂	3,70	4,06	-0,36	Weak
11	Em ₃	4,24	4,21	0,03	Strong
12	Rel ₁	4,44	4,39	0,05	Strong
13	Rel ₂	4,27	4,43	-0,16	Weak
14	Rel ₃	4,51	4,20	0,31	Strong
15	Rel ₄	4,53	4,15	0,37	Strong

Table 6.
Canoe category

Attribute	Canoe Category						(M + O + A) >=<= (I + R + Q)	Category
	M	O	A	I	R	Q		
1	24	48	6	19	0	0	78>19	O
2	19	38	19	21	0	0	76>21	O
3	31	47	5	14	0	0	83>14	O
4	41	38	6	12	0	0	85>12	M
5	31	27	14	23	2	0	72>25	M
6	18	40	12	27	0	0	70>27	O
7	20	22	25	30	0	0	67>30	I
8	14	45	16	22	0	0	75>22	O
9	39	37	4	17	0	0	80>17	M
10	21	31	19	25	1	0	71>26	O
11	42	33	8	14	0	0	83>14	M
12	19	38	26	14	0	0	83>14	O
13	13	11	38	35	0	0	62>35	A
14	46	23	4	24	0	0	73>24	M
15	39	39	6	13	0	0	84>13	M

Table 7.
Calculation of satisfaction and dissatisfaction

No	Attribute	Satisfaction	Dissatisfaction
1	Res ₁	0,56	-0,74
2	Res ₂	0,59	-0,59
3	Res ₃	0,54	-0,8
4	As ₁	0,45	-0,81
5	As ₂	0,43	-0,61
6	Tg ₁	0,54	-0,6
7	Tg ₂	0,48	-0,43
8	Tg ₃	0,63	-0,61
9	Em ₁	0,42	-0,78
10	Em ₂	0,52	-0,54
11	Em ₃	0,42	-0,77
12	Rel ₁	0,66	-0,59
13	Rel ₂	0,51	-0,25
14	Rel ₃	0,28	-0,71
15	Rel ₄	0,46	-0,8

3.6. Canoe Model Creation

The Canoe questionnaire contains both functional and dysfunctional statements. For example, Attribute 1 is that drivers are responsive to customer complaints.

Functional being the driver is responsive to customer complaints, while dysfunctional being the driver is not responsive to customer complaints [11]. The results of the recapitulation of the Canoe questionnaire that has been categorized can be seen in Table 6.

Furthermore, the calculation of satisfaction and dissatisfaction is presented in Table 7. After calculating satisfaction and dissatisfaction, then make a Canoe quadrant. The Canoe quadrant can be seen in Fig. 2. From Fig. 2, it can be obtained that there are 6 attributes that fall into the Must Be category, 7 attributes of the One dimensional category, 1 attribute of the Attractive category, and 1 attribute of the Indifferent category.

3.7. Calculation Servqual and Canoe integration

The next stage is to determine the priority of attributes to be improved based on the calculation of the integration of Servqual and Canoe. The results of the Servqual and Canoe integration calculations which contain the priority order of the attributes to be improved are presented in Table 8 as follows [12].




Figure 2. Canoe quadrant

Table 8.

Calculation Servqual and Canoe integration

Attribute Code	Grade	Category	Canoe Weight	Improvement Ratio _{Adj}	Adjusted Importance
Em ₁	Weak	M	1	1,14	5,46
Em ₂	Weak	O	2	1,05	4,88
Tg ₃	Weak	O	2	1,04	4,84
Tg ₁	Weak	O	2	1,04	4,81
Res ₁	Weak	O	2	1,04	4,78
Res ₂	Weak	O	2	1,03	4,73
Res ₃	Weak	O	2	1,03	4,68
Rel ₂	Weak	A	4	1,01	4,58
Rel ₁	Strong	O	2	0,99	4,49
As ₁	Strong	M	1	0,96	4,29
As ₂	Strong	M	1	0,95	4,28
Em ₃	Strong	M	1	0,99	4,23
Rel ₃	Strong	M	1	0,93	4,20
Rel ₄	Strong	M	1	0,92	4,08
Tg ₂	Strong	I	0	0,00	0,00

Table 9.

Improvement attribute decision

Attribute Code	Adjusted Importance	Decision
Em ₁	5,46	Improve
Em ₂	4,88	Improve
Tg ₃	4,84	Improve
Tg ₁	4,81	Improve
Res ₁	4,78	Improve
Res ₂	4,73	Improve
Res ₃	4,68	Improve
Rel ₂	4,58	Improve
Rel ₁	4,49	Maintain
As ₁	4,29	Maintain
As ₂	4,28	Maintain
Em ₃	4,23	Maintain
Rel ₃	4,20	Maintain
Rel ₄	4,08	Maintain
Tg ₂	0,00	Maintain

Next, sort the adjusted importance from largest to smallest. Attributes that are prioritized for improvement have criteria included in the grade weakness and category Canoe Must be, One dimensional and Attractive. The decision for each attribute to be improved or maintained is presented in Table 9 [11]. Based on Table 9, it can be obtained that there are 8 attributes that must be improved and 7 attributes that must be maintained. Furthermore, the 8 improved attributes will enter HoQ as customer requirements.

3.8. Creation of HoQ

The next stage is the creation of HoQ. The steps for creation HoQ are as follows:

a. Determination of technical response

Technical response is a stage to translate customer needs into technical requirements that have the objectives to be achieved by the company. The technical responses for Go-ride services can be seen in Table 10 [13].

b. Determination of technical correlation

The next step is to look for relationships between technical responses. Technical correlations are used to show the relationship between technical responses. This stage is to see whether the technical responses are interconnected or otherwise. In HoQ, technical correlation is symbolized (©) for technical responses that have a strong positive relationship, symbol (o) for technical responses that have a moderate positive relationship, symbol (-) for technical responses that have no relationship, symbol (x) for technical responses that have a moderate negative relationship, and symbol (☆) for technical responses that have a moderate negative relationship [5]. An example of a positive relationship is if response 1 is applied it can improve the performance of response 2, and otherwise. Technical correlation can be seen in Fig. 3.

Table 10.
Technical responses

No	Attribute	Technical Responses
1	Drivers are always friendly and polite to customers	1. Give awards to drivers who can implement the SOP well 2. Organize training and sharing sessions for drivers
2	Drivers offer facilities to customers (helmets, masks, raincoats)	Provide helmets, masks, and raincoats for drivers
3	Drivers use complete driving attributes	1. Give awards to drivers who can implement the SOP well 2. Organize training and sharing sessions for drivers
4	Drivers use proper motorcycles Drivers are responsive to customer complaints	Conduct regular inspections for drivers
5		1. Give awards to drivers who can implement the SOP well 2. Organize training and sharing sessions for drivers
6	Drivers are responsive to customer orders and requests	1. Give awards to drivers who can implement the SOP well 2. Organize training and sharing sessions for drivers
7	The company provides rates that are appropriate to the distance and affordable	Provide discounts for a certain time
8	Drivers deliver to the intended location through the best route.	Organize training and sharing sessions for drivers




Figure 3. Technical correlation

<i>Technical Response</i> <i>Voice of Customer (Servqual)</i>					
	Give awards to drivers who always apply the SOP well	Provide helmets, masks, and raincoats to drivers	Conduct regular inspections of drivers	Provide discounts at certain times	Conduct training and sharing sessions for drivers
Driver is always friendly and polite to customers	⊙				○
Driver offers facilities to customers (helmets, masks, raincoats)	⊙	⊙			○
Driver uses complete driving attributes	⊙				○
Drivers use proper motorcycles	⊙		⊙		○
Driver is responsive to customer complaints	⊙				○
Driver is responsive to customer orders and requests	⊙				○
Company provides rates that are appropriate to the distance and affordable				⊙	
Driver delivers to the intended location through the best route					⊙

Figure 4. Relationship

c. Determination of relationship

The next step is the relationship assessment which is carried out to determine the relationship between the technical response section and customer needs. Determination of this relationship is done by brainstorming with the gojek company. Relationship is symbolized (⊙) for those with strong relationships with

a score of 9, symbols (○) for those with moderate relationships with a score of 3 and symbols (-) for those with no relationship with a score of 0 [5]. Fig. 4 contains the results of determining the relationship with the company in determining the relationship between the technical response section and the customer needs it affects [14].

efficiency in delivering to the intended location via the optimal route.

Prioritizing attributes for improvement based on the adjusted importance value revealed 8 attributes. These include the driver's consistent friendliness and politeness towards customers, offering facilities to customers (helmets, masks, raincoats), using complete driving attributes, employing proper motorcycles, responsiveness to customer complaints and orders, the company's provision of rates appropriate to the distance and affordability, and ensuring efficient delivery to the intended location via the optimal route.

Considering the relative weight percent value, the company's priority in improvement efforts should first focus on recognizing and awarding drivers who consistently adhere to standard operating procedures (SOPs). Secondly, organizing training and knowledge-sharing sessions for drivers, providing essential gear like helmets, masks, and raincoats, conducting routine driver inspections, and offering specific time-bound discounts are further enhancement steps to consider.

Declaration statement

Dyah Lintang Treggonowati: **Conceptualization, Methodology, Supervision, Visualization.** Maria Ulfah: **Resources, Validation.** Aurora Elvaretta Sukanto: **Writing - Review & Editing.**

Acknowledgement

We would also like to thank PT Gojek Indonesia and FT SAT University for giving us the opportunity to conduct research. We hope that this research will benefit the company in managing their company's service and and student FT SAT University satisfaction in using Gojek services.

Disclosure statement

The author declares that this manuscript is free from conflict of interest and is processed by applicable journal provisions and policies to avoid deviations from publication ethics in various forms.

Funding statement

The authors receive no funding for this research.

Data availability statement

The authors confirm that the data supporting the findings of this study are available within the article or its supplementary materials.

References

- [1] BPS Banten, "Jumlah Kendaraan Bermotor Menurut Kabupaten/Kota dan Jenis Kendaraan di Provinsi Banten (Unit), 2020-2022," Available from <https://banten.bps.go.id/indicator/17/308/1/jumlah-kendaraan-bermotor-menurut-kabupaten-kota-dan-jenis-kendaraan-di-provinsi-banten.html>, Jun. 07, 2023.
- [2] S. L. B. Silalahi, P. W. Handayani, and Q. Munajat, "Service quality analysis for online transportation services: case study of GO-JEK," *Procedia Computer Science*, vol. 124, pp. 487–495, Jan. 2017, doi: [10.1016/j.procs.2017.12.181](https://doi.org/10.1016/j.procs.2017.12.181).
- [3] D. Pratiwi, "Integrating Servqual-Kano-QFD for Social Insurance Service Quality Improvement in Surabaya," *Jurnal Manajemen Teori dan Terapan, Journal of Theory and Applied Management*, vol. 14, no. 1, p. 50, Apr. 2021, doi: [10.20473/jmtt.v14i1.22677](https://doi.org/10.20473/jmtt.v14i1.22677).
- [4] Parasuraman, V. A. Zeithaml, and A. Malhotra, "E-S-QUAL: A Multiple-Item Scale for Assessing Electronic Service Quality," *Journal of Service Research*, vol. 7, no. 3, pp. 213–233, Feb. 2005, doi: [10.1177/1094670504271156](https://doi.org/10.1177/1094670504271156).
- [5] A. Heryangga, D. Darsini, and A. Komariah, "Analisis Kualitas Pelayanan Transportasi Online Gojek Terhadap Kepuasan Mahasiswa dengan Metode Servqual, Kano dan QFD (Studi Kasus Mahasiswa Universitas Veteran Bangun Nusantara Sukoharjo)," *Jurnal Aplikasi Ilmu Teknik Industri*, vol. 1, no. 2, p. 21, Sep. 2020, doi: [10.32585/japti.v1i2.1297](https://doi.org/10.32585/japti.v1i2.1297).
- [6] D. Eka, S. Setiawan, and Mohamad Atok, "Analisis Kepuasan dan Keputusan Penggunaan Kembali Jasa Ojek Online Mahasiswa ITS dengan Metode Structural Equation Modeling," vol. 8, no. 2, Feb. 2020, doi: [10.12962/j23373520.v8i2.46559](https://doi.org/10.12962/j23373520.v8i2.46559).
- [7] T. Wijaya, *Manajemen Kualitas Jasa*, 2 nd. Jakarta: Indeks, 2018.
- [8] N. Haber, M. Fargnoli, and T. Sakao, "Integrating QFD for product-service systems with the Kano model and fuzzy AHP," *Total Quality Management & Business Excellence*, vol. 31, no. 9–10, pp. 929–954, May 2018, doi: [10.1080/14783363.2018.1470897](https://doi.org/10.1080/14783363.2018.1470897).
- [9] D. Sari, R. R. Manullang, and M. Medinal, "Analisis Integrasi Konsep Servqual Dan Quality Funtion Deployment (QFD) Dalam Rangka Meningkatkan Ekspektasi Konsumen Dan Kualitas Layanan Jasa Transportasi PT Ganesha Jaya Mandiri," *Jurnal Progresif Manajemen Bisnis*, vol. 6, no. 2, pp. 12–21, Nov. 2019.
- [10] D. Caesaron, J. Makapedua, and R. P. Lukodono, "Evaluation of Online-Based Ride-Hailing services using Service Quality (ServQUAL) method, Refined KaNo Model, Importance Performance Analysis (IPA), and Quality Function Deployment (QFD): A case study of Grab Bike Indonesia," *ComTech*, vol. 12, no. 2, pp. 75–88, Nov. 2021, doi: [10.21512/comtech.v12i2.6790](https://doi.org/10.21512/comtech.v12i2.6790).
- [11] S. K. Dewi, A. R. C. Putri, and B. A. D. Winarko, "Peningkatan Kualitas Jasa Fasilitas Kesehatan dengan Integrasi Metode IPA dan KANO," *Jurnal Sistem Dan Manajemen Industri*, vol. 2, no. 2, p. 67, Dec. 2018, doi: [10.30656/jsmi.v2i2.835](https://doi.org/10.30656/jsmi.v2i2.835).
- [12] B. Baki, Ç. Başfıncı, İ. M. Ar, and Z. Çilingir, "An application of integrating SERVQUAL and Kano's model into QFD for logistics services," *Asia Pacific Journal of Marketing and Logistics*, vol. 21, no. 1, pp. 106–126, Jan. 2009, doi: [10.1108/13555850910926272](https://doi.org/10.1108/13555850910926272).
- [13] N. Dyana, N. Budiharti, and H. Galuh, "Analisis QFD (Quality Function Deployment) Untuk Perbaikan Produk Thai Teamerek Kaw-Kaw Di UKM Waralaba di

Landungsari, Malang," *valtech*, vol. 3, no. 2, pp. 153-159, Sep. 2020.

- [14] A. Apornak, "Customer satisfaction measurement using SERVQUAL model, integration Kano and QFD approach in an educational institution," *International Journal of Productivity and Quality Management*, vol. 21, no. 1, p. 129, Jan. 2017, doi: [10.1504/ijpqm.2017.083287](https://doi.org/10.1504/ijpqm.2017.083287).
- [15] D. L. Treggonowati et al., "Meningkatkan Kualitas Pengiriman U – Ditch Dengan Integrasi Servqual – Kano – QFD di PT DAY," *Journal of Systems Engineering and Management*, vol. 2, no. 1, p. 103, Apr. 2023, doi: [10.36055/joseam.v2i1.19384](https://doi.org/10.36055/joseam.v2i1.19384).